



Tubacex Taylor Accesorios, S.A.

SEAMLESS CARBON, ALLOY AND STAINLESS STEEL

Butt welding fittings



The Company



Tubacex Taylor Accesorios, is an independent private company which was founded in 1972 as a Joint Venture between Taylor Forge and the Tubacex Group. This relation finished in 1977 and, since then, T.T.A is fully integrated in the Tubacex Group. T.T.A.'s manufacturing capabilities in addition to the range of pipe of the Group enables our customers to achieve higher efficiency in their purchasing decisions.


Located 30 Km from the seaport of Bilbao, in the north of Spain, we provide our fittings to almost all markets around the world.

These Companies, among others, have already relied on our products and expertise: Foster Wheeler, Repsol, Total, Técnicas Reunidas, Fluor, ABB Lummus, Petrochem Development Co., KTI Corporation, BP Oil, ExxonMobil, Stone & Webster, Heurtey Petrochem, Boustead International Heaters, HCI, IKT Brazil, Linde Impianti, Kirchner Italia, Selas Linde, Technip, Shell, Tioga Pipe Supply Co., Suncor, Schmidt & Clemens, Conoco Phillips and Toyo Engineering. Through them, we have taken part in many of the most important projects for new refineries or revamps in the Petrochemical sector (our major market).



The Product

- Butt Welding Fittings made of Carbon Steel, Alloy Steel, Stainless Steel (austenitic, austenoferritic and martensitic) and Nickel-based Alloys.
- Tube Bends: SR, LR and Special Radius.
- Concentric and Eccentric Reducers in various sizes (from 2" X 1" up to 12" X 10").
- Fittings with Special Sizes.



Applications

- Furnaces and Reactors for Oil and Petrochemical Ind.
- Chemical Ind.; Oil & Gas Refineries.
- Generation: Boilers (Industrial and Generation types).
- Manufacturing Equipment.
- Heat Exchangers.



SEAMLESS STAINLESS STEEL	AUSTENITICS	DIN / EN		ASTM		APROXIMATE CHEMICAL COMPOSITION RANGE									
		NORM CODE	STEEL GRADE	STANDARD	STEEL GRADE		%Ni	%Cr	%Mo	%C	%Mn	%Nb	%Fe	%Others	
					UNS	STANDARD									
		1.4301	X5 CrNi 18 10	DIN 17458 EN 10253-4	S 30400	WP 304	ASTM A 403	8-11	18-20	-	< 0,08	< 2,00			
		S 30409	WP 304 H	ASTM A 403	8-11	18-20	-	0,04-0,10	< 2,00			
		1.4306	X2CrNi 19 11	DIN 17458 EN 10253-4	S 30403	WP 304 L	ASTM A 403	8-13	18-20	-	< 0,035	< 2,00			
		1.4828	X15CrNiSi 20 12	SEW 470											
		1.4541	X6CrNiTi 18 10	DIN 17458 EN 10253-4	S 32100	WP 321	ASTM A 403	9-13	17-20	-	0,04-0,10	< 2,00		5(C + N) < Ti < 0,70	
		1,4878	X12CrNiTi 18 9	SEW 470	S 32109	WP 321 H	ASTM A 403							4 (C+N) < Ti	
		1.4550	X6CrNiNb 18 10	DIN 17458 EN 10253-4	S 34700 S 34709	WP 347 WP 347 H	ASTM A 403 ASTM A 403	9-13	17-20	-	0,04-0,10	< 2,00	10C- 1,00 8C-1,00		
		1.4401	X5 CrNiMo 17 12 2	DIN 17458 EN 10253-4	S 31600	WP 316	ASTM A 403	10-14	16-18 (16,5-18,5)	2,0-3,0 (2,0-2,5)		< 2,00			
		1.4404	X2CrNiMo 17 13 2	DIN 17458 EN 10253-4	S 31603	WP 316 L	ASTM A 403	11-16	16-18 (16,5-18,5)	2,0-3,0 (2,0-2,5)		< 2,00			
		1.4435	X2CrNiMo 18 14 3									16-18 (17-18,5)	2,0-3,0 (2,5-3,0)	< 0,030	
		1.4571	X6CrNiMoTi 17 12 2		S 31635	WP316Ti	ASTM A 213	10-14	16-18	2,0-2,5				5 (C+N)< Ti < 0,80	
		1,4941	X6CrNiTiB1810	DIN 17459 EN 10216-5		WP316Ti						< 2,00			
		1,4910	X3CrNiMoNb17-13-3	EN 10216-5	S 31609	WP 316 H	ASTM A 403	10-14	16-18	2,0-3,0	0,04-0,10	< 2,00			
		1,4580	X6CrNiMoNb 17 12 2	DIN 17458		WP 316H Nb	ASTM A 213	10,5-13,5	16,5-18,5	2,0-2,5					
		1.4833	X7CrNi2314	SEW 470	S 30940	WP 309	ASTM A 403	12-15	22,24						
		1.4845	X15 CrNiSi 25 20		S 31008	WP 310		19-22	24-26						
		1.4438	X2CrNiMo 18 15 4	EN 10253-4	S 31703 S 31700	WP 317 L WP 317	ASTM A 403	11,0-14,0	18-20	3,0-4,0	< 0,08 < 0,03				
		1,4547	X1CrNiMoCuN20-18-7	EN 10253-4	S31254	"6Mo" SUPER AUSTENITIC		ASTM A403	17,5-18,5	19,5-20,5	6,0-6,5				0,50 < Cu < 1,00
		1.4539	X1NiCrMoCuN 25 20 5	SEW 400 Vd TÜV 421 EN 10253-4	N 08904	WP 904 L	ASTM B 366	24-26	19-21	4,0-5,0				N: 0,04-0,15	
	NICKEL ALLOYS	1,4876	X10NiCrAlTi 32 20	SEW 470 Vd TÜV 412	N 08800	WPNIC	ASTM B 366	30-35	19-23	-				Cu < 0,75 Al: 0,15-0,60 (0,15-0,45)	
					N 08810	WPNIC 10		30-35 (30-34)	19-23	-	< 2,00			Cu < 0,75 (Al + Ti)< 0,7 Co< 1,00	
		1.4876H	X10NiCrAlTi 32 20 H	Vd TÜV 434	N 08811	WPNIC 11		30-35 (30-34)	19-23	-	< 1,50				Cu < 0,75 (Al + Ti) >0,85 (Al + Ti < 0,7) Co< 1,00
		2.4660	NiCr20CuMo		N 08020	WP20CB "Alloy 20"		32-38	19-21	2,0-3,0	< 0,07	< 2,00	8C-1,00		
		2.4858	NiCr 22Mo 9Nb	Vd TÜV 432/2	N 08825	WPNICMC		38-46	19,5-23,5	2,5-3,5	< 0,05	< 1,00		>22 Co < 1,00	
	AUSTENITIC-FERRITIC	1,4410	X2CrNiMoN25-7-4	EN 10253-4	S 32750	"Superduplex"	ASTM A 815	6-8	24-26	3-May				Cu < 0,50	
		1.4501	X1CrNiMoCuWN 25 7 4	EN 10253-4	S 32760	Duplex 25Cr	ASTM A 815	6,0-8,0	24-26	3,0-4,0				Cu: 0,50 - 1,00	
		1.4462	X2CrNiMoN 22 5 3	SEW 400 EN 10253-4 Vd TÜV 418	S 31803 S32205	Duplex 22Cr	ASTM A 815	4,5-6,5	21-23 22-23	2,5-3,5 3,0-3,5				N: 0,08 - 0,20 N: 0,14 - 0,20	
	ALLOY STEEL	CARBON STEEL				WPB		< 0,40	< 0,40	< 0,15	< 0,30	< 1,35	< 0,02	Cu < 0,40	
						WP1		-	-	0,44-0,65	< 0,28	0,30-0,90			
			13 Cr Mo 4-4	DIN 17175		WP11		-	1,00-1,50	0,44-0,65	0,05-0,15	0,30-0,60			
			1.7335	13 Cr Mo 4-5	E10253-2	WP12		-	0,80-1,25	0,44-0,65					
			1.7380	10 Cr Mo 9 10		WP22		-	1,90-2,60	0,87-1,13	0,05-0,15	0,30-0,60			
			1.7362	X11CrMo5	Vd TÜV 007/3 E10253-2		WP5	ASTM A234	-	4,0-6,0	0,44-0,65	< 0,15	0,30-0,60		
			1.7386	X11CrMo9,1	Vd TÜV 109 E10253-2		WP9		-	8,0-10,0	0,90-1,10	< 0,15	0,30-0,60		
			1.4903	X 10 Cr Mo VNb 9-1	Vd TÜV 511/2 E10253-2		WP91		< 0,40	8,0-9,5	0,85-1,05	0,08-0,12	0,30-0,60	0,06-0,10	Vn
		1.5415	16Mo3	E10253-2	-	-		< 0,30	0,25-0,35	0,12-0,20	0,40-0,90				



Wall Thickness (Short Radius and Long Radius)

N.D. (inches)	O.D. (mm)	Sch.10	Sch.20	Sch.30	STD	Sch.40	Sch.60	XS	Sch.80	Sch.100	Sch.120	Sch.140	Sch.160	Sch.XXS
1 1/2"	48,30	2,77			3,68	3,68		5,08	5,08				7,14	10,15
2"	60,30	2,77			3,91	3,91		5,54	5,54				8,71	11,07
2 1/2"	73,00	3,05			5,16	5,16		7,01	7,01				9,53	14,02
3"	88,90	3,05			5,49	5,49		7,62	7,62				11,13	15,24
3 1/2"	101,60	3,05			5,74	5,74		8,08	8,08					16,15
4"	114,30	3,05			6,02	6,02		8,56	8,56		11,13		13,49	17,12
5"	141,30	3,40			6,55	6,55		9,53	9,53		12,70		15,88	19,05
6"	168,30	3,40			7,11	7,11		10,97	10,97		14,27		18,24	21,95
8"	219,10	3,76	6,35	7,04	8,18	8,18	10,31	12,70	12,70	15,06	18,24	20,62	23,01	22,23
10"	273,00	4,19	6,35	7,80	9,27	9,27	12,70	12,70	15,09	18,24	21,41	25,40	28,58	25,40
12"	323,90	4,57	6,35	8,38	9,53	10,31	14,27	12,70	17,48	21,44	25,40	28,58	33,32	25,40

NOTE: OUR RANGE IN SR STARTS FROM 2".

The Manufacturing Processes

- **Hot Drawing "Hamburg" Process:** this process is suitable for both bends, in short or long radius (SR or LR as per ASME B16.9) or even for pieces with not standardized bending radius. The diameter of the starting pipe is smaller than the one of the formed elbow and the thickness quite thicker.

- **"Bending" Process:** this is a valid method when the thickness/diameter ratio is greater than 10%. The starting tube for this process has to be slightly bigger in diameter than the formed elbow.

- **Cold Forming Process:** we only produce some sizes of Long Radius elbows in some Stainless Steel (S/40 and S/80 from 1 1/2" up to 4") starting from pipe of same diameter.

Facilities for the Manufacturing

- 5 hydraulic draw presses. (From 30tn. to 200tn.)
- 9 vertical hydraulic presses. (From 200tn. to 600tn.)
- 3 heat treatment furnaces.
- Sawing and bevelling machines.
- 2 Shot-blasting cabins.
- Pickling and Passivation automatic installation for Stainless Steel.
- Automatic painting line for rust protection coating for Carbon and Low Alloy Steel fittings.
- Equipment for measurement, testing and PMI (Positive Material Identification).
- Low Stress stamping marking machines.
- 2 indeleble Ink stencilling marking machines.



Quality Assurance

T.T.A. takes special care of the quality of the processes, equipment and products. Our Quality Management Manual, summarizes the general requirements of our Quality Management System, which is based on the UNE-EN-ISO 9001, ed.2000 standards. This Manual ensures that the products full comply with the specified requirements and its application is obligatory in all areas of the Company.

The yearly statement of Quality Goals and improvement proposals resulting from the Management Review, create the basis for a continuous improvement.

Facilities for Inspection and Testing:

- 2 Krautkramer DM 43 Ultrasonic Thickness Gauges.
- Roughness Meter (CV Instrumen).
- 4 Hardness Testers (Time and Centaur).
- 3 Optical Spectrographic PMI Machines (Spectro Hispania S.L.).
- Ferrite Measurement Machine (Fischer).
- 2 Optical Pyrometers (Hartman & Braun and Keller Optix).
- Destructive Tests: Integranular Corrosion Test, Resilience Test, Hot Yield Test, ...
- NDE: Liquid Penetrant Test, Magnetic Particle Test, Ultrasonic Test, ...
- Equipment for measurement, testing and PMI (Positive Material Identification).





Sale Offices around the World

HEAD OFFICE

TUBACEX TAYLOR
ACCESORIOS, S.A.
Barrio Arenaza, 10
01474 Artziniega - Alava
SPAIN

Tel: + 34 945 39 60 30
Fax: + 34 945 39 60 64
e-mail: sales@tta.es
<http://www.tubacex.com>

TUBACEX EUROPE, B.V.

Stationsplein 4,3331 LL
ZWIJNDRECHT
HOLANDA
Tel: + 31 78 620 53 33
Fax: + 31 78 620 53 30
e-mail: marcel.villares@tubacex.nl

TUBACEX ITALIA

Via Vitruvio 43
20124 MILAN
ITALIA
Tel: + 39 02 669 55 05
Fax: + 39 02 673 84 592
e-mail: sales@tubacexitalia.it

TUBACEX FRANCE

9 rue du 11 Novembre
93600 AULNAY SOUS BOIS
FRANCIA
Tel: + 33 1 48 79 30 50
Fax: + 33 1 48 79 18 06
e-mail: frederic.bouvier@sbtfr.fr

TUBACEX AMERICA

5430 Brystone Drive,
HOUSTON, TEXAS
77041, USA
Tel: + 1 713 856 27 00
Fax: + 1 713 856 27 99
e-mail: sales@tubacex-usa.com

TUBACEX CANADA INC.

4610 Eastgate Parkway, Unit 3
MISSISSAUGA,
ONTARIO L4W 3W6
CANADA
Tel: + (905) 629 2011
Fax: + (905) 629 4468
e-mail: sales@tubacex-cda.com

TUBACEX ASIA

China Merchants Plaza
Unit #1502 - East Building 333,
Chengdu Bei Road
SHANGHAI 200041
CHINA
Tel: + 86-21-5298-0242 (6 ext.)
Fax: + 86-21-5298-0241
e-mail: tubacexasia@tubacex.com.cn

TUBACEX LATINOAMÉRICA

Rodovia Anhanguera Km 15, Modulo 31
CEP - 05112-000 São Paulo
BRASIL
Tel: 55-11-3622 4860 / 4863 / 4970
Fax : 55-11-3621 9117
e-mail: vendas@special-steels.com.br

TUBACEX MIDDLE EAST

Dubai Airport Free Zone Area
Building 6EA (East Wing-Block A)
Office 217
P.O. Box: 293692
Dubai - United Arab Emirates
Tel: +971 4 701 72 12
Fax : +971 4 701 72 13
e-mail: inigo@ae.tubacex.com

TUBACEX CIS

Post box 186
Ovchinnikovskaya Naberezhnaya 22,
stroyenie 1
115035 MOSCÚ
RUSIA
Tel: + 7 916 644 22 51
Fax: +7 495 959 21 80
e-mail: okulyk@tubacex.su